






20240422TE392770

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO J.S.T. AND SHALL NOT BE USED OR ADAPTED, COPIED, OR PUBLISHED WITHOUT WRITTEN PERMISSION. IN THE EVENT THAT THERE ARISE ANY DOUBTS OR CONTROVERSIES BETWEEN JAPANESE AND ENGLISH EXPRESSION, THE JAPANESE TEXT SHALL PREVAIL.


A
B
C
D
E



極数 Circuits	寸法 Dimensions	
	A	B
5	2.0	4.56
6	2.5	5.06
8	3.5	6.06
10	4.5	7.06
11	5.0	7.56
12	5.5	8.06
14	6.5	9.06
15	7.0	9.56
16	7.5	10.06
17	8.0	10.56
18	8.5	11.06
20	9.5	12.06
22	10.5	13.06
24	11.5	14.06
27	13.0	15.56
28	13.5	16.06



改訂 REV.	変更事項 DESCRIPTIONS	年月日 DATE	0
△			



参考パターンレイアウト (コネクタ搭載面)
Pattern layout (from top view)

NOTE
1. 指定公差: 0 ≤ L < 2; ±0.15、2 ≤ L < 5; ±0.2
5 ≤ L; ±0.3
2. 適合FPCはKRD-51895-1参照
3. 使用FPCとコネクタの適合性確認を必ず実施の上使用の事。

NOTE
1. Unless otherwise specified, tolerances are 0 ≤ L < 2; ±0.15、2 ≤ L < 5; ±0.2、5 ≤ L; ±0.3
2. Applicable FPC Drawing No.: KRD-51895-1.
3. Confirm the applicability of the connector with the FPC used, before use.

4	補強タブ REINFORCEMENT TAB	銅合金 COPPER ALLOY	すずめっき TIN PLATED	
3	コンタクト CONTACT	銅合金 COPPER ALLOY	部分金めっき SELECTIVE GOLD PLATED	
2	カバーハウジング COVER HOUSING	PA (耐熱性) PA (HEAT RESISTANCE)		UL94V-0 青色 BLUE
1	ソケットハウジング SOCKET HOUSING	LCP		UL94V-0 ナチュラル NATURAL
品番 No.	部品名 PART NAME	材質 MATERIAL	処理 SURFACE FINISH	備考 REMARKS
サイズ SIZE	単位 UNIT	投影法 PROJECTION	作図年月日 DATE	納入先 CUSTOMER
A3	METRIC		MAR.26.2024	品名 SERIES NAME
			尺度 SCALE	FHSY コネクタ FHSY CONNECTOR
			20:1	形番 PART No.
				() FHSY-RSM1-GAN (LF) (SN)
				図番 DRAWING No.
				KRD-32225-6 R0

JST 日本圧着端子製造株式会社
J.S.T. MFG.CO., LTD.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO J.S.T. AND SHALL NOT BE USED OR ADAPTED, COPIED, OR PUBLISHED WITHOUT WRITTEN PERMISSION. IN THE EVENT THAT THERE ARISE ANY DOUBTS OR CONTROVERSIES BETWEEN JAPANESE AND ENGLISH EXPRESSION, THE JAPANESE TEXT SHALL PREVAIL.

