

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.




The marking on this product doesn't contain environmental hazardous materials per Material Specification 55-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.

FOR REFERENCE ONLY





REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
AX1	EDSR#7600	NON-RELEASE REVISION	07/06/2017	Roger Tsai
AX2	EDSP#7611	UPDATE PACKAGE QUANTITY	07/10/2017	Roger Tsai

NOTES:

- MATERIAL:
HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, NYLON 9T, UL94V-0.
COLOR: OPTION.
TERMINAL: COPPER ALLOY.
- FINISH:
TERMINAL:
CONTACT AREA: SELECTIVE PLATING THICKNESS MIN.;
SOLDERING AREA: MATTE TIN PLATING 100 μ " THICKNESS MIN.;
UNDER PLATING: NICKEL PLATING 50 μ " THICKNESS MIN. OVERALL.
- PACKING IS PER AMTA PACKING SPECIFICATION PKS-0001.
- THIS PRODUCT IS HALOGEN-FREE PRODUCT.



BERUFFLED OF THE CHART




Mating Condition (REF.)

PART NO. G886A XX 2 X X T2HR

NO. OF POS.
SEE TABLE


CONTACT FINISH
1: 100u" TIN
2: GOLD FLASH

COLOR
1: NATURAL



TOLERANCE: ±0.05
RECOMMENDED P.C.B. Layout
TOP VIEW

PIN	DIM.(mm)			PIN	DIM.(mm)		
	A	B	C		A	B	C
02	1.50	4.50	2.90	09	12.00	15.00	13.40
03	3.00	6.00	4.40	10	13.50	16.50	14.90
04	4.50	7.50	5.90	11	15.00	18.00	16.40
05	6.00	9.00	7.40	12	16.50	19.50	17.90
06	7.50	10.50	8.90	13	18.00	21.00	19.40
07	9.00	12.00	10.50	14	19.50	22.50	20.90
08	10.50	13.00	11.90	15	21.00	24.00	22.40


TOLERANCE		APPROVALS		DATE	TITLE			Amphenol® Amphenol Corporation Amphenol Taiwan Corporation						
X.		DRAWN	Karen Su	07/10/2017	G886B SERIES, PROTECT HEADER 1.50 PITCH, SINGLE ROW STRAIGHT DIP TYPE 									
X.X	±0.30	CHECKED	Aqua Chou	07/10/2017										
X.XX	±0.20	APPROVED	Roger Tsai	07/10/2017				UNIT	mm	SIZE	A3	PART No.	G886AXX2XXT2HR	
X.XXX	±0.10							SCALE	NA	SHEET	1 OF 2	DWG No.	G886AXX2XXT2HR	REV.
ANGULAR ±1°														
UNLESS OTHERWISE SPECIFIED		CUST DWG		PROJECT CODE		PHD								

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.


The marking on this product doesn't contain environmental hazardous materials per Material Specification 55-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.

REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
AX1	EDSR#7600	NON-RELEASE REVISION	07/06/2017	Roger Tsai
AX2	EDSP#7611	UPDATE PACKAGE QUANTITY	07/10/2017	Roger Tsai


FOR REFERENCE ONLY




CONNECTOR



BAG



LABEL



CARTON

NOTES:

- MATERIAL:
CARTON: FIBREBOARD, CORRUGATED, DOUBLE WALL.
PE BAG: POLYETHYLENES, TRANSPARENT COLOR.
- DIMENSION:
PE BAG: SEE TABLE
CARTON: 400 X 280 X 280 mm.
- QUANTITY: SEE TABLE

PACKING CAPACITY				
PIN	PCS/BAG	BAG/BC	PCS/BC	PE BAG
02~03	1000	18	18,000	0.08*130*150
04~08	1000	18	18,000	0.08*150*190
10	1000	12	12,000	0.08*160*240
14	500	18	9,000	0.08*150*190

TOLERANCE	APPROVALS	DATE	TITLE		PART No.	
X. X.X ±0.30 X.XX ±0.20 X.XXX ±0.10	DRAWN Karen Su	07/10/2017	G886B SERIES, PROTECT HEADER 1.50 PITCH, SINGLE ROW STRAIGHT DIP TYPE		Amphenol® Amphenol Corporation Amphenol Taiwan Corporation	
ANGULAR ±1°	CHECKED Aqua Chou	07/10/2017				
UNLESS OTHERWISE SPECIFIED	APPROVED Roger Tsai	07/10/2017				
	DWG TYPE CUST DWG	PROJECT CODE PHD	UNIT mm	SIZE A3	G886AXX2XXT2HR	
			SCALE NA	SHEET 2 OF 2	G886AXX2XXT2HR	
					REV. AX2	