

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	REVISED PER ECN-24-290831	22OCT2024	TR	GA

D

C

B





A

D




C

B

A



RECOMMEND P.C.B LAYOUT
TOLERANCES: ± 0.05 ;




- NOTES:
PRODUCT MEETS CONTROLLED SUBSTANCES SPEC. ROHS 2.0
△ MATERIAL :
1.1 HOUSING: LCP, UL94V-0; COLOR: BLACK
1.2 CONTACT: BRASS.
1.3 SHELL: BRASS.
△ FINISH:
2.1 CONTACT:
GOLD PLATING(SEE DESCRIPTION) ON CONTACT AREA.
80u" MIN. MATTE-TIN PALTING ON SOLDER TAIL AREA.
50u" MIN. NICKEL UNDERPLATING OVERALL.
2.2 SHELL: 30u" MIN. NICKEL UNDERPLATING OVERALL.
△ DATE CODE: CODE SPURTING OR LASER


GOLD FLASH		1.60mm	2485396-2
30u"		1.60mm	2485396-1
GOLD PLATING ON CONTACT AREA	MATERIAL	PCB THICKNESS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TARUN, R	15JUL2024	 TE Connectivity			
DIMENSIONS: mm		CHK GIRIDHAR, VA	17JUL2024	NAME HDMI 2.1 19P 6.08H A/F STD DIP CONN			
		APVD GIRIDHAR, VA	17JUL2024	PRODUCT SPEC 108-161460			
		APPLICATION SPEC					
MATERIAL 		FINISH 		SIZE A2	CAGE CODE 00779	DRAWING NO C=2485396	RESTRICTED TO —
CUSTOMER DRAWING				SCALE 1:1	SHEET 1 of 3	REV A1	


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—

PANEL CUT-OUT DIMENSION





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TARUN, R 15JUL2024		TE Connectivity			
		CHK GIRIDHAR, VA 17JUL2024					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD GIRIDHAR, VA 17JUL2024		NAME	
		0 PLC ± 0.30		PRODUCT SPEC		HDMI 2.1 19P 6.08H A/F STD DIP CONN	
		1 PLC ± 0.30		108-161460		-	
		2 PLC ± 0.25					
		3 PLC ± 0.25					
		4 PLC ± -		APPLICATION SPEC		-	
		ANGLES ± 3		-		SIZE	
MATERIAL		FINISH		WEIGHT -		A2	
						CAGE CODE	
						00779	
						DRAWING NO	
						C-2485396	
						RESTRICTED TO	
						-	
CUSTOMER DRAWING						SCALE	1:1
						SHEET	2 of 3
						REV	A1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



- NOTES :
- MATERIAL :
COVER TAPE : PS,
CARRIER TAPE : PS
REEL : PS UL94V-0
SHIPPING BOX: CORRUGATED FIBER
PARTITION BOARD: CORRUGATED FIBER
 - DIMENSION :
REEL : SEE DRAWING
BOX : SEE DRAWING
 - QUANTITY : SEE TABLE
 - PEELING RESISTANCE:10gf~150gf(for 72mm)
 - PEELING SPEED : 300mm/MINUTES



PULL OUT DIRECTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TARUN, R 15JUL2024	TE Connectivity		
DIMENSIONS: mm		CHK GIRIDHAR, VA 17JUL2024			
		APVD GIRIDHAR, VA 17JUL2024	NAME HDMI 2.1 19P 6.08H A/F STD DIP CONN		
		PRODUCT SPEC	-		
MATERIAL		APPLICATION SPEC	-		
		WEIGHT 0	SIZE A2	CAGE CODE 00779	DRAWING NO C=2485396
FINISH		CUSTOMER DRAWING		SCALE 1:1	SHEET 3 OF 3
				REV A1	RESTRICTED TO -