

TE Internal #: 2-1747981-1

Receptacle, Standard Profile, 1 Port, Top, Right Angle, Surface Mount, Pick and Place Cover, Cable-to-Board, 19 Position, HDMI

Connectors

View on TE.com >



Connectors > Audio & Video Connectors > HDMI Connectors











Connector & Housing Type: Receptacle

Connector Profile: Standard

Number of Ports: 1

PCB Mount Location: Top

PCB Mount Orientation: Right Angle

#### **Features**

### Product Type Features

| Ground Feature Type               | M3 Threaded Hole      |
|-----------------------------------|-----------------------|
| Grounding Options                 | Panel Ground          |
| Connector & Housing Type          | Receptacle            |
| Connector System                  | Cable-to-Board        |
| Connector & Contact Terminates To | Printed Circuit Board |

### **Configuration Features**

| Panel Ground Location | Тор         |
|-----------------------|-------------|
| Stacked               | No          |
| Number of Ports       | 1           |
| PCB Mount Orientation | Right Angle |
| Number of Positions   | 19          |

### **Body Features**

| Shell Plating Finish   | Matte |
|------------------------|-------|
| Shell Plating Material | Tin   |
|                        |       |



| Connector Profile                              | Standard                         |
|--|----------------------------------|
|  | Standard                         |
| Contact Features                               |                                  |
| Contact Mating Area Plating Material Thickness | .76 μm[29.92 μin]                |
| Contact Mating Area Plating Material           | Gold                             |
| Contact Current Rating (Max)                   | .5 A                             |
| Termination Features                           |                                  |
| Termination Post & Tail Length                 | 1.1 mm, 1.6 mm[.043 in][.061 in] |
| Termination Method to PCB                      | Surface Mount                    |
| Mechanical Attachment                          |                                  |
| PCB Mount Retention Type                       | Straight Leg                     |
| PCB Mount Location                             | Тор                              |
| Connector Mounting Type                        | Board Mount                      |
| Housing Features                               |                                  |
| Housing Color                                  | Black                            |
| Centerline (Pitch)                             | 1 mm[.039 in]                    |
| Dimensions                                     |                                  |
| PCB Thickness (Min)                            | 1.6 mm[.063 in]                  |
| Usage Conditions                               |                                  |
| Mating Cycles (Max)                            | 10000                            |
| Soldering Temperature (Max)                    | 260 °C                           |
| Operating Temperature Range                    | -25 – 70 °C[-13 – 158 °F]        |
| Operation/Application                          |                                  |
| Assembly Process Feature                       | Pick and Place Cover             |
| Circuit Application                            | Signal                           |
| Packaging Features                             |                                  |
| Packaging Method                               | Box & Tray, Tray                 |
|  |                                  |

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant                               |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant                               |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |




| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
|--|---|
| Halogen Content                        | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free                                 |
| Solder Process Capability              | Reflow solder capable to 245°C  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



# **Customers Also Bought**















TE Part #5787617-1 RECP ASSY, R/A, STACKED, THRU-HOLE, USB,







#### **Documents**

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-1747981-1\_L.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1747981-1\_L.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1747981-1\_L.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Product Specifications**

**Application Specification** 

English