




MULTI-BEAM

TE Internal #: 1-1600961-8
Receptacle Contact, Gold (Au), 300 VAC / 60 VAC, 300 VDC / 60 VDC, 14 – 12 AWG, 2.5 – 4 mm² Wire, 4107 – 6530 CMA, Crimp, Copper Alloy, Power

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Receptacle**
Contact Mating Area Plating Material: **Gold (Au)**
Wire Contact Termination Area Plating Material: **Tin**
Operating Voltage: **60 VDC, 300 VDC**

Features

Product Type Features

Sealable	No
----------	----

Electrical Characteristics

Operating Voltage	60 VDC, 300 VDC
-------------------	-----------------

Contact Features

Contact Underplating Material	Nickel
Contact Orientation	Straight
Contact Underplating Material Thickness	50 – 100 µm[50 – 100 µin]
Contact Mating Area Plating Material Thickness	.76 µm[30 µin]
Wire Contact Termination Area Plating Material Finish	Matte
Wire Contact Termination Area Plating Thickness	1.27 – 2.54 µm[50 – 100 µin]
Barrel Type	Open
Contact Type	Receptacle
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	Without



Contact Base Material	Copper Alloy
Contact Current Rating (Max)	42 A

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	3 – 4.4 mm[.12 – .176 in]
Wire Size	4107 – 6530 CMA

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Quantity	1000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2837091-2
OCEAN-2.0-APPLICATOR-S-SSA



TE Part # 7-2837091-7
OCEAN_2.0_SPARE_PART_KIT

Customers Also Bought



TE Part #1445715-3
75A HSG SUBASY WHITE



TE Part #2267077-2
TMD1T4B5M2RE



TE Part #1600914-5
HARDWARE KIT PANEL MT MULTIBEA



TE Part #1600902-1
INSERT MBXL 2 SIGNAL LOCK 4POS




TE Part #T4041037031-000
M8.FMLE.PNLREAR.3POS.STR
PCBSHLD



TE Part #AEA113N00000201000
623 RECEPTACLE, SPEEDTEC-READY




TE Part #4-794678-2
12P MICRO MNL ASSY,R/A,THRU,LF



TE Part #737015-3
PL TERMINAL RECEPTACLE 4-6 MM2
PTPBR



TE Part #2-36161-2
TERM, PIDG, R, 12-10, #10, T&R



TE Part #1-1892903-9
XLE REC PMT 15P/28S

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_1-1600961-8_B1.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1600961-8_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1600961-8_B1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC01_BOARD_TO_BOARD

English

Product Specifications

Application Specification

English