



Part Number : [745460813](#)
Product Description : iPass PCIe x8 Cable Assembly, 24 AWG, 0.50m Length
Series Number : 74546
Status : Not Recommended For New Design
Product Category : High-Speed I/O Cable Assemblies



Documents & Resources

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains C,C'-azodi(formamide) per D(2024)6225-DC (07 Nov 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Not Recommended For New Design
Category	High-Speed I/O Cable Assemblies
Series	74546
Description	iPass PCIe x8 Cable Assembly, 24 AWG, 0.50m Length
Assembly Configuration	Dual Ended Connectors
Connector to Connector	PCI Express-to-PCI Express
Product Name	iPass,PCI Express
Type	Pluggable
UPC	822350737005

Agency

CSA	LR64395
UL	E72548

Electrical

Current - Maximum per Contact	1.0A
Voltage - Maximum	30V DC

Physical

Cable Bundling	None
Cable Length	0.50m
Circuits (Loaded)	68
Circuits (maximum)	68
Gender	Plug/Plug
Lock to Mating Part	Yes
Material - Metal	Zinc Alloy
Net Weight	208.710/g
Packaging Type	Bag
Release Style	Pull Tab
Single Ended	No
Waterproof / Dustproof	No
Wire/Cable Type	Round
Wire Insulation Diameter	N/A
Wire Size (AWG)	28

This document was generated on Apr 07, 2025